

## LIST OF PUBLICATIONS of Dr. Martin Schadt

- 1) I. Gränacher and M. Schadt:  
Proc. Int. Conf. on Luminescence in Budapest **10** (1966) 43.
- 2) J. Adolph, E. Baldinger, I. Gränacher and M. Schadt  
Temperature dependence of space charge limited currents in anthracene crystals.  
J. Appl. Math. and Phys. (ZAMP) **17** (1966) 326-329.
- 3) M. Schadt (Doctoral Thesis):  
Optische Aktivierung von Haftstellen in Anthrazeneinkristallen.  
Helv. Phys. Acta **41** (1968) 1349-1367.
- 4) M. Schadt and D.F. Williams:  
Low temperature hole-injection and hole-trap distribution in anthracene crystals.  
J. Chem. Phys. **50** (1969) 4364-4368.
- 5) D.F. Williams and M. Schadt  
Temperature dependence of dc and pulsed electroluminescence in anthracene crystals.  
Proc. 3rd Int. Conf. on Photoconductivity, Pergamon Press, ed. E.M. Pell, 303-309 (1969).
- 6) M. Schadt and D.F. Williams:  
Hall-mobility of electrons in anthracene crystals.  
Physica Status Solidi **39** (1970) 223-230.
- 7) D.F. Williams and M. Schadt:  
A simple organic electroluminescence diode.  
Proc. IEEE **58** (1970) 476.
- 8) D.F. Williams and M. Schadt:  
DC and pulsed electroluminescence in anthracene and doped anthracene crystals.  
J. Chem. Phys. **53** (1970) 3480-3487.
- 9) M. Schadt and W. Helfrich:  
Voltage-dependent optical activity of a twisted nematic liquid crystal.  
Appl. Phys. Lett. **18** (1971) 127-128.
- 10) W. Helfrich and M. Schadt:  
Birefringence of nematogenic liquids caused by electrical conduction.  
Phys. Rev. Lett. **27** (1971) 561-564.
- 11) C.B. Burckhardt, M. Schadt and W. Helfrich:  
Holographic recording with an electrooptical liquid crystal cell.  
Appl. Optics **10** (1971) 2196.
- 12) M. Schadt:  
Dielectric properties of some nematic liquid crystals with strong positive dielectric anisotropy.  
J. Chem. Phys. **56** (1972) 1494-1497.
- 13) M. Schadt and W. Helfrich:  
Kerr effect in the isotropic phase of some nematogenic compounds.  
Mol. Cryst. Liq. Cryst. **17** (1972) 355-360.
- 14) D. Schmidt, M. Schadt and W. Helfrich  
Liquid-crystalline curvature electricity: The bending mode of MBBA.  
Z. Naturforsch. **27a**, 277-280 (1972).
- 15) H. Scherrer, A. Boller, M. Schadt and P. Wild:  
Low electro-optical threshold in new liquid crystals.  
Proc. IEEE **60** (1972) 1002-1003.
- 16) M. Schadt:  
Photoresponse of bimolecular lipid membranes pigmented with retinal and vitamin A acid.  
Biochim. Biophys. Acta **323** (1973) 351-366.

- 17) M. Schadt and G. Häusler:  
Permeability of lipid bilayer membranes to biogenic amines and cations: Changes induced by ionophores and correlations with biological activities.  
J. Membrane Biol. **18** (1974) 277-294.
- 18) M. Schadt and C. von Planta:  
Flüssige Kristalle.  
Roche Zeitung **4** (1974)1-10.
- 19) M. Schadt and C. von Planta:  
Conductivity relaxation in positive dielectric liquid crystals.  
J. Chem. Phys. **63** (1975) 4379-4383.
- 20) M. Schadt and F. Müller:  
Influence of solutes on material constants of liquid crystals and on electro-optical properties of twisted nematic displays.  
J. Chem. Phys. **65** (1976) 2224-2230.
- 21) M. Schadt:  
Solute-induced transmission changes in liquid crystal twist cells.  
Phys. Lett. **57A** (1976) 442-444.
- 22) U.P. Fringeli, M. Schadt, P. Rihak and Hs. H. Günthard:  
Hydrocarbon chain ordering in liquid crystals investigated by means of infrared attenuated total reflection spectroscopy.  
Z. Naturforsch. **31a** (1976) 1098-1107.
- 23) A. Boller, M. Cereghetti, M. Schadt and H. Scherrer:  
Synthesis and some physical properties of phenylpyrimidines.  
Mol. Cryst. Liq. Cryst. **42** (1977) 215-231.
- 24) M. Schadt:  
Measuring methods and physical properties of new Roche liquid crystal compositions for twisted nematic displays.  
Journal of the Horological Institute of Japan **79** (1977) 17-25.
- 25) M. Schadt:  
Kerr effect and orientation relaxation of pretransitional domains and individual molecules in positive dielectric liquid crystals.  
J. Chem. Phys. **67** (1977) 210-216.
- 26) M. Schadt and F. Müller:  
Physical properties of new liquid crystal mixtures and electro-optical performance in twisted nematic displays.  
IEEE Transactions on Electron Devices **ED-25** (9) (1978) 1125-1137.
- 27) M. Schadt:  
Class specific material properties of nematic liquid crystals; Measuring techniques and applications in twisted nematic displays.  
Proc. 11th Meeting Committee Organic Materials for Information Science of the Japan Society for Promotion of Science (**JSPS**), Tokyo, 29 October (1978) 1-23.
- 28) M. Schadt and F. Müller:  
Class specific elastic, viscous, optical and dielectric properties of some nematic liquid crystals and correlations with their performance in twisted nematic displays.  
Rev. de Phys. Appl. **14** (1979) 265-274..
- 29) M. Schadt:  
Field-induced color switching in liquid crystal displays.  
J. Chem. Phys. **71** (1979) 2336-2344.

- 30) A. Villiger, A. Boller and M. Schadt:  
Synthesis and mesomorphic properties of new liquid crystalline cyclohexyl-phenyl- and dicyclohexyl-pyrimidines.  
Z. Naturforsch. **34b** (1979) 1535-1541.
- 31) P.R. Gerber and M. Schadt:  
On the measurement of elastic constants in nematic liquid crystals; Comparison of different methods.  
Z. Naturforsch. **35a** (1980)1036-1044.
- 32) M. Schadt:  
Dielectric heating and relaxations in smectic A liquid crystals.  
Phys. Lett. **81A** (1981) 355-358.
- 33) M. Schadt and P.R. Gerber:  
Dielectric, electro-optical and phase-change properties of liquid crystal guest-host displays.  
Mol. Cryst. Liq. Cryst. **65**, 241-264 (1981).
- 34) M. Schadt:  
Dielectric heating and relaxations in nematic liquid crystals.  
Mol. Cryst. Liq. Cryst. **66** (1981) 319-336.
- 35) M. Schadt and P.R. Gerber:  
New liquid crystal mixtures; Physical properties, multiplexability, blending and electro-optical performance in TN-LCDs.  
Proc. **SID81** (1981) 80 – 81.
- 36) M. Schadt and P.R. Gerber:  
New liquid crystal mixtures; Physical properties, multiplexability, adjustment of parameters and electro-optical performance in displays.  
Proc. **SID82** (1982) 29-35.
- 37) P.R. Gerber and M. Schadt:  
Adjustable electro-optical performance in twisted nematic displays by blending liquid crystals.  
Proc. International Display Research Conference **IDRC81** "Eurodisplay 81" (1981) 35-38.
- 38) M. Schadt and P.R. Gerber:  
Class specific physical properties of liquid crystals and correlations with molecular structure and static electro-optical performance in twist cells.  
Z. Naturforsch. **37a** (1982) 165-178.
- 39) P.R. Gerber and M. Schadt:  
Viscous properties and dynamic electro-optical performance in twisted nematic displays of several liquid crystal classes.  
Z. Naturforsch. **37a** (1982) 179-185.
- 40) M. Schadt:  
Low frequency dielectric relaxations in nematics and dual-frequency addressing of field-effects.  
Mol. Cryst. Liq. Cryst. **89** (1982) 77-92.
- 41) M. Schadt:  
Effects of dielectric relaxations and dual-frequency addressing on the electro-optics of guest-host liquid crystal displays.  
Appl. Phys. Lett. **41** (1982) 697-699.
- 42) M. Schadt:  
New LC-mixtures for very high-information density TN-LCDs, automotive applications and guest-host LCDs.  
Proc. 22th Meeting Committee Organic Materials for Information Science, Japan Society Promotion of Science (**JSPS**); Tokyo, 9 July (1982) 5-19.

- 43) M. Schadt, M. Petrzilka, P.R. Gerber, A. Villiger and G. Trickes:  
New liquid crystal materials; Physical properties and performance in displays for automotive, high-information density and guest-host applications.  
Mol. Cryst. Liq. Cryst. **94** (1983) 139-153.
- 44) M. Schadt:  
New LC-materials for fast and high-information density LCDs.  
Proc. 13. Freiburger Arbeitstagung über flüssige Kristalle (1983).
- 45) M. Schadt:  
New liquid crystals for field-effect LCDs.  
Proc. International Display Research Conference **IDRC83** "Japan Display 83" (1983) 220-223.
- 46) M. Schadt and M. Petrzilka:  
Fast responding new nematics covering a wide range of elastic constants.  
Proc. **IDRC84** "Eurodisplay 84" (1984) 53-56.
- 47) M. Schadt, M. Petrzilka, P.R. Gerber and A. Villiger:  
Polar alkenyls: Physical properties and correlations with molecular structure of new nematic liquid crystals.  
Mol. Cryst. Liq. Cryst. **122** (1985) 241-260.
- 48) M. Schadt and M. Petrzilka:  
Fast responding new nematic liquid crystals: Application of alkenyls in high information content and car LCDs.  
Proc. **SID85** (1985) 117-124.
- 49) M. Schadt:  
Recent developments on liquid crystal materials.  
Proc. Meeting Japan Society for Promotion of Science (**JSPS**) Tokyo (1984) 2-14.
- 50) H.L. Ong, M. Schadt and I.F. Chang:  
Material parameters and intrinsic optical bistability in room temperature nematics.  
Mol. Cryst. Liq. Cryst. **132** (1986) 45-52.
- 51) M. Schadt, R. Buchecker, A. Villiger, F. Leenhouts and J. Fromm:  
The cooperative effects of heterocycles, NCS-polar groups and double bonds on the material properties of new nematic liquid crystals.  
SID Proc. **IDRC85** (1985) 231-234; and IEEE Trans. Electron Devices **ED-33** (1986) 1187-1194.
- 52) M. Schadt, R. Buchecker, F. Leenhouts, A. Villiger, A. Boller and M. Petrzilka:  
New nematic liquid crystals: Influence of rigid cores, alkenyl side-chains and polarity on material and display properties.  
Mol. Cryst. Liq. Cryst. **139** (1986) 1-25.
- 53) F. Leenhouts and M. Schadt:  
Optics of twisted nematic and supertwisted nematic liquid crystal displays.  
J. Appl. Phys. **60** (1986) 3275-3281.
- 54) F. Leenhouts and M. Schadt:  
Electro-optics of supertwist displays; Dependence on liquid crystal material parameters.  
SID Proc. International Display Research Conference **IDRC86**, "Japan Display 86" (1986) 388-391.
- 55) R. Buchecker and M. Schadt:  
Synthesis, physical properties and structural relations of new, end-chain substituted nematic liquid crystals.  
Mol. Cryst. Liq. Cryst. **149** (1987) 359-373.
- 56) M. Petrzilka, R. Buchecker, S. Lee, M. Schadt and A. Germann:  
New liquid crystals: The mesomorphic properties of mono- and bisalkenyl(oxy)substituted esters.  
Mol. Cryst. Liq. Cryst. **148** (1987) 123-143.

- 57) M. Schadt and F. Leenhouts:  
Electro-optical performance of a new, black-white and highly multiplexible liquid crystal display.  
Appl. Phys. Lett. **50** (1987) 236-238.
- 58) F. Leenhouts, M. Schadt and J. Fromm:  
Electro-optical characteristics of a new liquid crystal display with improved gray-scale capability.  
Appl. Phys. Lett. **50** (1987) 1468-1470.
- 59) M. Schadt and F. Leenhouts:  
The optical mode interference liquid crystal display; Dependence on material and cell parameters.  
SID Proc. **IDRC87** (1987) 372-375 and Proc. SID87 (1987) 375-380.
- 60) M. Schadt:  
Nematic liquid crystals and electro-optical effects: Display applications.  
Chimia **41** (1987) 347-357.
- 61) C.B. Frech, B.M. Fung and M. Schadt:  
Complete carbon-13 and proton NMR assignments for two mesogenic series containing cyclohexyl rings.  
Magnetic Resonance in Chemistry **26** (1988) 433-435.
- 62) S.M. Kelly, R. Buchecker, J. Fromm and M. Schadt:  
Ferroelectric liquid crystals part 1. The synthesis and liquid crystal transition temperatures of some new smectic C materials.  
Ferroelectrics **85** (1988) 385.
- 63) F. Leenhouts and M. Schadt:  
Optics of twisted nematic liquid crystal layers.  
Mol. Cryst. Liq. Cryst. **158B** (1988) 241-253.
- 64) M. Schadt:  
The twisted nematic effect: Liquid crystal displays and liquid crystal materials.  
Mol. Cryst. Liq. Cryst. **165** (1988) 405-438 (Special Issue 100th Anniversary of Liquid Crystals Research).
- 65) C.B. Frech, B.M. Fung and M. Schadt:  
Orientational ordering of 4-substituted phenylcyclohexanes studied by carbon-13 2D NMR.  
Liquid Crystals **3** (1988) 713-722.
- 66) M. Schadt, R. Buchecker and K. Müller:  
Material properties, structural relations with molecular ensembles and electro-optical performance of new bicyclohexane liquid crystals in field-effect LCDs.  
Liquid Crystals **5**, No. 1 (1989) 293-312.
- 67) M. Schadt:  
The history of the liquid crystal display and LC-material technology.  
Liquid Crystals **5**, No. 1 (1989) 57-71.
- 68) L.A. Beresnev, V.G. Chigrinov, I. Dergachev, E.P. Pozhidaev, J. Fünfschilling and M. Schadt:  
Deformed helix ferroelectric liquid crystal display – a new electro-optical mode in ferroelectric smectic C\* liquid crystals.  
Liquid Crystals **5**, No. 4 (1989) 1171-1177.
- 69) M. Schadt:  
The dream: a flat-panel TV-screen.  
Roche Magazin Nr. **32** (1988) 2-19.
- 70) S.M. Kelly, R. Buchecker and M. Schadt:  
Ferroelectric liquid crystals: IV. Chiral alkenyloxyphenyl benzoates and V. 4-biphenyl-1-carboxylates.  
Liquid Crystals **3** (1988) 1115-1128.

- 71) M. Schadt:  
Electro-optical effects, liquid crystals and their application in displays.  
IEEE Proc. **COMP EURO 89** (1989) 215-219.
- 72) J. Fünfschilling and M. Schadt:  
Fast responding and highly multiplexible distorted helix ferroelectric liquid crystal displays.  
J. Appl. Phys. **66** (1989) 3877-3882.
- 73) J. Fünfschilling and M. Schadt:  
Fast responding distorted-helix ferroelectric LCDs.  
SID Proc. **IDRC89**, "Japan Display 89" (1989)174-175; and **Proc. SID90** (1990) 119-122.
- 74) M. Loseva, N. Chernova, A. Rabinovich, E. Pozhidaev, J. Narkevich, O. Petrashevich, E. Kazachkov, N. Korotkova, M. Schadt and R. Buchecker:  
Structures of optically active compounds and ferroelectric properties in liquid crystals.  
Ferroelectrics **114** (1991) 357- 377.
- 75) M. Schadt, R. Buchecker and A. Villiger:  
Synergisms, structural-material relations and display performance of novel, fluorinated alkenyl liquid crystals.  
Liquid Crystals **7** (1990) 519-536.
- 76) C.B. Frech, B.M. Fung and M. Schadt:  
Orientational ordering of phenylcyclohexane-based liquid crystals determined from carbon-13 2D NMR spectroscopy.  
SPIE **1080** (1989) 215-226.
- 77) S.V. Belayev, M. Schadt, M.I. Barnik, J. Fünfschilling, N.V. Malimoneko and K. Schmitt:  
Large aperture polarized light source and novel liquid crystal display operating modes.  
Jpn. J. Appl. Phys. Lett. **29**, No. 4 (1990) 634-637.
- 78) M. Schadt and J. Fünfschilling:  
Novel polarized liquid crystal color projection and new TN-LCD operating modes.  
Proc. **SID90** (1990) 324-326.
- 79) M. Schadt and J. Fünfschilling:  
New liquid crystal polarized color projection principle.  
Jpn. J. Appl. Phys. **29**, No. 10 (1990) 1974-1984.
- 80) J. Fünfschilling and M. Schadt:  
New, short-pitch bistable ferroelectric (SBF) liquid crystal displays.  
SID Proc. **IDRC90** (1990) 106-109; and Jpn. J. Appl. Phys. **30** (1991) 741 - 746.
- 81) W. Richter, B.M. Fung and M. Schadt:  
Orientational ordering in the nematic phase of 4-alkenyl-substituted bicyclohexylnitriles.  
Liquid Crystals **8** (1990) 63 - 73.
- 82) M. Ingold, P. Günter and M. Schadt:  
Optical bistability and beam competition in a nonresonant cavity containing a nematic liquid crystal and a photorefractive crystal.  
J. Opt. Soc. Am. B **7** (1990) 2380-2386.
- 83) R. Buchecker, J. Fünfschilling and M. Schadt:  
New optically active dopants based on chiral dioxanes.  
Mol. Cryst. Liq. Cryst. **213** (1992) 25-267.
- 84) F. Moia and M. Schadt:  
New generation of nematic mixtures for high information content liquid crystal displays, such as OMI-STN- and TFT-LCDs.  
SID Proc. Int. Display Research Conference **IDRC90** "Eurodisplay 90" (1990) 132-135.

- 85) F. Moia and M. Schadt:  
New generation of nematic mixtures for high information content supertwist and actively addressed twisted nematic liquid crystal displays.  
Proc. **SID92** (1992) 361-367.
- 86) H. Takatsu, K. Takeuchi, M. Sasaki, H. Ohnishi and M. Schadt:  
Physical properties of novel fluorinated ethers and ether mixtures for actively addressed twisted nematic liquid crystal displays.  
Mol. Cryst. Liq. Cryst. **206** (1991) 159-177.
- 87) M. Schadt:  
Novel supertwisted nematic liquid crystal display operating modes and electro-optical performance of generally twisted nematic configurations.  
Proc. SPIE/SPSE **1455** (1991) 214-224.
- 88) X. Ji, W. Richter, B.M. Fung, D. van Helm and M. Schadt:  
The crystal and molecular structures of two 4-alkenyl-substituted bicyclohexylnitriles.  
Mol. Cryst. Liq. Cryst. **201** (1991) 29-40.
- 89) J. Fünfschilling and M. Schadt:  
Short pitch bistable ferroelectric (SBF) liquid crystal displays.  
SID Proc. Int. Display Research Conference **IDRC91** (1991) 183-185.
- 90) N. Häberle, H. Leigerber, R. Maurer, A. Miller, J. Stohrer, R. Buchecker, J. Fünfschilling and M. Schadt:  
Right and left circular polarizing colorfilters made from crosslinkable cholesteric LC-silicones.  
SID Proc. International Display Research Conference **IDRC91** (1991) 57-59.
- 91) M. Duelli, M. Ingold, P. Günter and M. Schadt:  
All Optical Image Association Using a Photoreactive Crystal and a Nematic Liquid Crystal with Optical Feedback .  
Int. J. Opt. Computing **2** (1991) 259-269.
- 92) M. Schadt:  
Field effect liquid crystal displays and liquid crystal materials: Key technologies of the 90s.  
Displays **13**, No. 1 (1992) 11-34.
- 93) S.M. Kelly, M. Schadt and H. Seiberle:  
Four-unit-linking groups V; Optically active dopants.  
Liquid Crystals **II 5** (1992) 761-71.
- 94) M. Schadt, K. Schmitt, V. Kozinkov and V. Chigrinov:  
Surface-Induced Parallel Alignment of Liquid Crystals by Linearly Polymerized Photopolymers.  
Jpn. J. Appl. Phys. **31** (1992) 2155-2164.
- 95) K. Schmitt, R.-P. Herr, M. Schadt, J. Fünfschilling, R. Buchecker, X.H. Chen and C. Benecke:  
Strongly Nonlinear Optical Ferroelectric Liquid Crystals for Frequency Doubling.  
Liquid Crystals **14** (1993) 1735-1752.
- 96) M. Schadt:  
Linear and Nonlinear Liquid Crystal Materials, Electro-Optical Effects and Surface Interactions: Their Application in Present and Future Devices.  
Liquid Crystals **14** (1993) 73-104.
- 97) H. Seiberle and M. Schadt:  
Influence of Charge Carriers and Display Parameters on the Performance of Passively and Actively Addressed LCDs.  
Proc. **SID92** (1992) 25-28.
- 98) J. Siripitayanon, D. van Helm and M. Schadt:  
Conformational Variability of Alkenyl Liquid Crystals.  
Mol. Cryst. Liq. Cryst. **225** (1992) 43-53.

- 99) H. Ohnishi, H. Takatsu, K. Takeuchi, F. Moia and M. Schadt:  
Supertwisted-Nematic Display Performance of Liquid Crystalline Dioxanes, Halides, Alkenyls, Ethers and Tolanes.  
Proc. **SID92** (1992) 17-20.
- 100) J. Fünfschilling and M. Schadt:  
The Efficient Optics of Liquid Crystal Polarized Color Projection.  
Optoelectronics **7**, Nr. 2 (1992) 263-270.
- 101) H. Seiberle and M. Schadt:  
LC-Conductivity and Cell Parameters; their Influence on Twisted Nematic and Supertwisted Nematic LCDs.  
Mol. Cryst. Liq. Cryst. **239** (1994) 229-244.
- 102) M. Ingold, M. Duelli, P. Günter and M. Schadt:  
All-optical associative memory based on a nonresonant cavity with image-bearing beams.  
J. Opt. Soc. Am. B **9**, No. 8 (1992) 1327-1337.
- 103) F. Moia, M. Schadt and H. Seiberle:  
High Contrast and High Information Content Optical Mode Interference (OMI)-LCDs with VIDEO Response: Comparison with Supertwisted Nematic LCDs.  
Proc. **SID93** (1993) 386-371.
- 104) S.M. Kelly, A. Germann, R. Buchecker and M. Schadt:  
Polar Nematic Methyl (E) -[trans-4-Cyclohexyl-substituted] allyl Ethers: Synthesis and Physical Properties.  
Liquid Crystals **16**, Nr 1 (1994) 67-93.
- 105) J. Fünfschilling and M. Schadt:  
High Speed Deformed Helix Ferroelectric (DHF)-Liquid Crystal Displays with Video Potential.  
SID Proc. Int. Display Research Conference **IDRC93** "Eurodisplay 93" (1993) 63-66.
- 106) M. Schadt:  
Liquid Crystals in Information Technology.  
Ber. Bunsenges. Phys. Chem. **97**, Nr. 10 (1993) 1213-1236.
- 107) M. Schadt:  
The Display of High Information Contents with Nematic and Ferroelectric Liquid Crystal Displays.  
**Proc. SID Seminars** "Eurodisplay 93" (1993).
- 108) Th. Leemann, H. Walt, F. Margadant, J. Fünfschilling, M. Schadt and M. Anliker:  
Stereoscopic Visualization of Microscopic Cell Structures with Short Pitch Ferroelectric Light Shutter Glasses.  
SID Proc. Int. Display Research Conference **IDRC93** "Eurodisplay 93" (1993) 359-361.
- 109) D.A. Yakolev, G.V. Simoneko, V.M. Kozenkov, V.G. Chigrinov and M. Schadt:  
New Concept to Achieve Color LCDs with Linearly Photopolymerized (LPP) LCD-Substrates.  
SID Proc. Int. Display Research Conference **IDRC93** "Eurodisplay 93" (1993) 17-20.
- 110) K. Schmitt, C. Benecke, M. Schadt, J. Fünfschilling, R.-P. Herr and R. Buchecker:  
Efficient Nonlinear Optical Ferroelectric Liquid Crystals for Integrated Optics Devices.  
J. Physique III, **4**, Nr. 2 (1994) 387-400.
- 111) J. Fünfschilling and M. Schadt:  
Physics and Electronic Model of Deformed Helix Ferroelectric (DHF)-LCDs.  
Jpn. J. Appl. Phys. **33** (1994) 4950-4959.
- 112) M. Schadt and K. Schmitt:  
Nonlinear Optical Ferroelectric Liquid Crystals and NLO-Device Configurations.  
J. Appl. Phys. B **59** (1994) 607-615.



- 113) F. Seils and M. Schadt:  
Liquid Crystals with Chlorovinyl Side Chains; Effects of Structural Variations on the Dielectric Anisotropy.  
Mol. Cryst. Liq. Cryst. **260** (1995) 127-138.
- 114) R. Buchecker, G. Marck and M. Schadt:  
New Nematics Incorporating 2,6-Difluorphenylacetylene Group.  
Mol. Cryst. Liq. Cryst. **260** (1995) 93-105.
- 115) S.M. Kelly, M. Schadt and H. Seiberle:  
Polar Nematic Trans-4-substituted-cyclohexyl (E)-alk-2-enoates; the Influence of Dipoles and Double Bonds on their Physical Properties.  
Liquid Crystals **18** (1995) 581-594.
- 116) M. Schadt:  
Liquid Crystals and Field Effects for Nematic and Ferroelectric LCDs.  
SID Proc. Int. Display Research Conference **IDRC94** (1994) 96-102.
- 117) M. Schadt and J. Fünfschilling:  
Recent Progress in Active Matrix Addressed DHF-LCDs.  
Proc. Int. Display Workshop **IDW94** (1994) 67-70.
- 118) A.G. Verhulst, G. Cnossen, J. Fünfschilling and M. Schadt:  
A Wide Viewing Angle Video Display Based on Deformed Helix Ferroelectric LCD and Diode Active Matrix.  
SID Proc. **IDRC94** (1994)377-380; and Journal of the SID **3** (1995) 133.
- 119) M. Schadt, H. Seiberle, A. Schuster and S.M. Kelly:  
Photo-Generation of Linearly Polymerized Liquid Crystal Aligning Layers Comprising Integrated Optical Patterned Retarders and Color Filters.  
Jpn. J. Appl. Phys. Part 1, **34** (1995) 3240-3249.
- 120) M. Schadt, H. Seiberle, A. Schuster and S.M. Kelly:  
Photo-Induced Alignment and Patterning of Hybrid Liquid Crystal Polymer Films on Single Substrates.  
Jpn. J. Appl. Phys. Lett. **34**, Nr. 6E (1995) 764-767.
- 121) J. Fünfschilling and M. Schadt:  
Novel LCD Color Projectors Based on Cholesteric Filters.  
Proc. **SID95** (1995) 597-600.
- 122) J. Chen, B. Cull, P.L. Bos, D.L. Johnson and M. Schadt:  
Investigation of the Mechanism of the Surface-Induced Alignment of Liquid Crystals by Linearly Polymerized Photopolymers.  
Proc. **SID95** (1995) 528-531.
- 123) J. Fünfschilling, M. Schadt and H. Seiberle:  
Video Compatible Subtractive Color Projection with Cholesteric Liquid Crystal Band Modulation Filters.  
Journal of the SID **4/1** (1996) 41-45.
- 124) C. Benecke, K. Schmitt and M. Schadt:  
In Situ Determination of Glass Transition Temperatures in Thin Polymer Films.  
Liquid Crystals **21** (1996) 575-580.
- 125) M.L. Magnuson, B.M. Fung and M. Schadt:  
Orientational Ordering of Liquid Crystals Containing a Difluoro-substituted Phenyl Ring.  
Liquid Crystals, **19** (1995) 333-338.
- 126) M. Stalder and M. Schadt:  
Polarization Converters Based on Liquid Crystal Devices.  
Mol. Cryst. Liq. Cryst. **282** (1996) 343-353.

- 127) M. Schadt, H. Seiberle and A. Schuster:  
Optical Patterning of Multi-Domain Liquid Crystals with Wide Viewing Angles.  
Nature **381** (1996) 212-215. [c.f. also J. van Haaren's article on p 190 in the same volume]
- 128) J. Fünfschilling and M. Schadt:  
Broad Temperature Range Deformed Helix Ferroelectric (DHF) Video LCDs.  
Proc. **SID96** (1996) 691-694.
- 129) M. Schadt:  
Optisch Strukturierte Flüssigkristall-Anzeigen mit grossem Blickwinkelbereich.  
Physikalische Blätter **52**, Heft 7/8 (1996) 695-698.
- 130) B. Cull, Y. Shi, S. Kumar and M. Schadt:  
Anisotropic Surface Morphology of Poly(Vinyl)4-methoxy-cinnamate and 12-8 (poly)diacetylene  
Films Induced by Linear Photo-polymerization.  
Phys. Rev. E **53** (1996) 3777-3781.
- 131) M. Schadt:  
Recent Advances in LPP-Photoalignment of Liquid Crystals Applied to the Phase Retarder  
Image of Alfred Saupe.  
Mol. Cryst. Liq. Cryst. **292** (1997) 235-243.
- 132) R. Buchecker and M. Schadt:  
Studies on Liquid Crystals Incorporating Three Membered Linking Units Combined with 1,  
3-Linked Rings.  
Liquid Crystals **20** (1996) 811-814.
- 133) M. Stalder and M. Schadt:  
Beam Steering Devices Based on Switchable Liquid Crystal Blazed Gratings.  
SID Proc. Int. Display Research Conference **IDRC96** "Eurodisplay 96" (1996) 434-437.
- 134) M. Stalder and M. Schadt:  
Linearly Polarized Light with Axial Symmetry Generated by Liquid Crystal Polarization  
Converters.  
Opt. Lett. **21** (1996) 1948-1950.
- 135) M. Schadt, H. Seiberle and J. Fünfschilling:  
Optically Structured Multidomain LCDs with Broad Field of View and Ferroelectric LCDs with  
Large Cell Gaps.  
Proc. Int. Workshop on Active Matrix Liquid Crystal Displays **AM-LCD'96** (1996) 317-340.
- 136) J. Fünfschilling and M. Schadt:  
Performance of Conventional and Novel Deformed Helix Ferroelectric Liquid Crystal Display  
Operating Modes.  
Jpn. J. Appl. Phys. **35** (1996) 5765-5774.
- 137) K. Schmitt, C. Benecke and M. Schadt:  
Efficient Second-Harmonic Generation in Novel Cerenkov Type Nonlinear-Optical Polymer  
Waveguides.  
J. Appl. Phys. **81** (1997) 11-17.
- 138) M. Schadt and H. Seiberle:  
Optical Patterning of Multidomain Liquid Crystal Displays.  
Proc. **SID97** (1997) 397-400; and Journal SID **5/4** (1997) 367-370.
- 139) J.G. Yoo, S.W. Choi, H. Hoshi, K. Ishikawa, H. Takezoe and M. Schadt:  
Enhancement of Second-Harmonic Generation by Helicoidal Distributed Feedback Action in a  
Ferroelectric Smectic Liquid Crystal.  
Jpn. J. Appl. Phys. Lett. **36** (1997) 1168-1171.
- 140) M. Schadt and K. Schmitt:  
Flat Liquid Crystal Projectors with Integrated Cholesteric Color Filters/Polarizers and Photo-  
Aligned Optical Retarders.  
SID Proc. Int. Display Research Conference **IDRC97** (1997) 219-222.

- 141) J. Fünfschilling and M. Schadt:  
New Ferroelectric Displays and Operating Modes.  
*Ferroelectrics* **213** (1998) 195-208.
- 142) M. Schadt:  
Photo-Alignment and Patterning of Liquid Crystal Displays.  
**Journal Information Display**, December issue (1997) 14-18.
- 143) M. Schadt and K. Schmitt:  
Cholesteric Band Modulation Filter LCD-Imagers.  
**VDE Proc. Displays and Vacuum Electronics**, Garmisch-Partenkirchen (1998) 201-205.
- 144) K. Schmitt, C. Benecke and M. Schadt:  
Pulsed, Laser-induced Holographic Coupling Gratings for Waveguides Made of Cross-linkable Polymers.  
*Appl. Optics* **36** (1997) 5078-5082.
- 145) E. Hoffmann, K. Klausmann, E. Ginter, P. M. Knoll, H. Seiberle and M. Schadt:  
Development of a Dual -Domain TFT-LCD by Optical Patterning.  
*Proc. SID98* (1998) 734-727.
- 146) H. Seiberle and M. Schadt:  
Photo-Alignment and Patterning of Planar and Homeotropic Liquid Crystal Display Configurations.  
*SID Proc. Int. Display Research Conference IDRC98 "Asia Display 98"* (1998)193-198.
- 147) J. Chen, K. C. Chang, J. DelPico, H. Seiberle and M. Schadt:  
Wide Viewing Angle Photo-Aligned Plastic Films for TN-LCDs.  
**Proc. SID99** (1999) 98-101.
- 148) C. Chiulli, J. DelPico, W. Vetterling, K. M. Johnson, G. D. Sharp, H. Seiberle and M. Schadt:  
Integral-Color Plastic Liquid Crystal Display: The Ultimate Flat Panel Display.  
*Proc. SID99* (1999) 1054-1057.
- 149) J. Fünfschilling, M. Stalder and M. Schadt:  
Alignment of Ferroelectric LCDs with Hybrid LPP-Photo-Aligned Polymer Networks.  
**Proc. SID99** (1999) 308-311.
- 150) H. Seiberle, K. Schmitt and M. Schadt:  
Multidomain LCDs and Complex Optical Retarders Generated by Photo-Alignment.  
*SID Proc. Int. Display Research Conference IDRC99 "Euro Display 99"* (1999) 121-125.
- 151) K. Schmitt, J. Fünfschilling, Z. Cherkaoui and M. Schadt:  
Fast Time Sequential Color Switch Based on Cholesteric Filters and DHF-LCDs.  
*SID Proc. Int. Display Research Conference IDRC99, "Euro Display 99"* (1999) 437-440.
- 152) M. Schadt:  
Photo-Aligned Liquid Crystal Displays and LC-Polymer Optical Filters.  
*SID Proc. Int. Display Research Conference IDRC99 "Euro Display 99"* (1999) 27-31.
- 153) J. Fünfschilling, M. Stalder and M. Schadt:  
Photo-Aligned Orientation Layers for Ferroelectric Displays.  
*Ferroelectrics* **288** (2000) 257-264.
- 154) D. Chung, H. Hoshi, K. Ishikawa, H. Takezoe and M. Schadt:  
Polarisation Dependent Enhancement of Second-Harmonic Generation by Distributed Feedback Cavity Action in Helicoidal Ferroelectric Liquid Crystals.  
*Mol. Cryst. Liq. Cryst.* **328** (1999) 283-290.
- 155) M. Schadt, H. Seiberle and F. Moia:  
Novel Color Filters and Optical Interference Elements for LCD Projection.  
*SID Proc. International Display Workshop IDW99* (1999) 1013-1016.

- 156) M. Schadt :  
La Recherche et le Développement Technologique en Europe: La Suisse, ROLIC Research Ltd.  
**Collections L'Abécédaire Parlementaire No. 4** (1999) 131.
- 157) M. Schadt:  
Optics and Applications of Photo-Aligned Liquid Crystalline Surfaces.  
Nonlinear Optics **25** (2000) 1-11.
- 158) C. Benecke, H. Seiberle and M. Schadt:  
Determination of Director Distributions in Liquid Crystal Polymer Films by Generalized Anisotropic Ellipsometry.  
Jpn. J. Appl. Phys. **39** (2000) 525-531.
- 159) H. Seiberle, O. Mueller, G. Marck and M. Schadt:  
Photo-Alignment of LCOS Liquid Crystal Displays.  
SID Proc. International Display Research Conference **IDRC2000** (2000) 38-41.
- 160) F. Moia, H. Seiberle and M. Schadt:  
Optical LPP/LCP Devices: A new Generation of Optical Security Elements.  
Proc. SPIE, **Vol. 3973** (2000) 196-203.
- 161) E. G. Virga and M. Schadt:  
Corrugations on the Free Surface of Nematic Liquid Crystal Layers.  
Jpn. J. Appl. Phys. **39** (2000) 6637-6642.
- M. Schadt:  
Liquid Crystal Displays and Novel Optical Thin-Films Enabled by Photo-Alignment.  
Mol. Cryst. Liq. Cryst. **364**, Part I of V, ICLC 2000 (2001) 151-169.
- 162) H. Seiberle and M. Schadt:  
Photo-alignment and Photo-patterning of Planar and Homeotropic Liquid Crystal Display Configurations.  
Journal of the **SID 8/1** (2000) 67-71.
- 163) M. Ibn-Elhaj and M. Schadt:  
Optical Polymer Thin-Films with Isotropic and Anisotropic Nano-Corrugated Surface Topologies.  
NATURE **410** (2001) 796-799.
- 164) T. Bachels, K. Schmitt, J. Fünfschilling, M. Stalder H. Seiberle and M. Schadt:  
Advanced Electronic Color Switch for Time-Sequential Projection.  
Proc. **SID2001** (2001) 1080-1083.
- 165) H. Seiberle and M. Schadt:  
Properties of Photo-alignment Materials for TFT- and LCoS Displays.  
**Proc. VDE** (2001) 77-81.
- 167) M. Ibn-Elhaj and M. Schadt:  
Monomer-Corrugated Directional Thin-Film Reflectors for Bright LCDs.  
SID Proc. **IDW2001** (2001) 505-508.
- 168) S. Gupta, R. A. Palmer, M. Schadt and S. P. Sen. Gupta:  
Structural Analysis of a Mesogenic 4-Alkenyl-bicyclohexylnitrile.  
Liq. Cryst. **28**, No. 9 (2001) 1309-1313.
- 169) M. Stalder and M. Schadt:  
Photo-Aligned Bistable Nematic Liquid Crystal Displays.  
Liquid Crystals **30** (3) (2003) 285-296.
- 170) S. Gupta, S. Sen Gupta and M. Schadt:  
Crystal Structure of 4 (1"-butenyl) 4' (cyano) 1,1' bicyclohexane  
Mol. Cryst. Liq. Cryst. **378** (2002)193-202.

- 171) T. Bachels, J. Fünfschilling, H. Seiberle, M. Schadt, G. Gomez and E. Criton:  
Novel Photo-Aligned LC-Polymer Wide-View Film for TN-Displays.  
SID Proc. **IDRC2002** (2002) 183-186.
- 172) Jakli, T. Toth-Katona, T. Scharf, M. Schadt and A. Saupe:  
Piezoelectricity of a Ferroelectric Liquid Crystal with a Glass Transition.  
Phy. Rev E **66**, (2002) 011701-1 – 011701-5.
- 173) M. Ibn-Elhaj and M. Schadt:  
Nano- and Micro-Topologies in Photo-Aligned Polymer Thin-Films; Correlations Between  
Topologies and Directional Light Scattering.  
Jpn. J. Appl. Phys. **42**, Part 1, No. 11 (2003) 6896-6909.
- 174) M. Schadt:  
Milestones in the History of Nematic Liquid Crystal Displays and Materials.  
The Japan Society of Applied Physics, Proc. **AM-FPD 08** (2008) 1-4.
- 175) M. Schadt:  
Milestones in the History of Field-Effect Liquid Crystal Displays and Materials.  
Jpn. J. Appl. Phys. **48**, Nr. 3 (2009) 01-09.
- 176) M. Schadt:  
Meilensteine der Feldeffekt Flüssigkristall Displays (LCDs) und Flüssigkristall Materialien  
Naturwissenschaftliche Rundschau Vol.**741**, 63. Jahrgang, Heft 3 (2010) 113-129.
- 177) M. Schadt:  
Contributions to Today's Liquid Crystal Technology.  
Journal European Academy of Sciences **1**, Nr.1 (2011) 1- .
- 178) M. Schadt:  
Photo-Alignment and Alignment Patterning of Liquid Crystals.  
SID Seminar Lectures, **SID2011** (2011) M-9/1 – M-9/30.

## BOOK Chapters

- 1) M. Schadt  
*Liquid Crystal Displays.*  
in: Liquid Crystals; ed. H. Stegemeyer, Steinkopff/Springer, New York, pp. 195-226 (1994)
- 2) M. v. Zedtwitz, M. Brauchli and M. Schadt  
*Ueberwindung nationaler Grenzen dargestellt am Beispiel der Liquid Crystal Display (LCD)-Technologie.*  
in: Internationales Innovations Management; ed. O. Gassmann und M. v. Zedtwitz, Vahlen Verlag, München, pp. 143-154 (1996)
- 3) M. Schadt  
*Liquid Crystal Materials and Liquid Crystal Displays.*  
in: Annual Review of Materials Sciences, Vol 27; ed. E.N. Kaufmann, guest ed. Ch.J. Summers. New York, pp. 305-375 (1997)
- 4) M. Schadt  
*Recent Advances in LPP-Photo-Alignment of Liquid Crystals Applied to the Phase-Retarder Image of Alfred Saupe.*  
in: Dynamics and Defects in Liquid Crystals; ed. P.E. Cladis and P. Palffy-Muhoray, Gordon and Breach Science Publishers, Amsterdam, pp 263-271 (1998)